




MANURE SPREADER A.F.O.

- Rear spreading
- Cut-tube profiles structure with pickled sheet steel
- Covering of floor and sides in treated larch boards
- A rigid suspension
- N° 2 balanced horizontal rollers for rear spreading
- Hydraulic chain conveyor advancement
- Guides for chain running
- Removable drawbar
- Axle without brake
- Tractor n° 1 pair of hydraulic outlets for belt chain operation - oil 30 Lt.
- Cardan shaft
- Road light kit



* EUROPEAN ROAD HOMOLOGATION



MOD.	A mm	C mm	D mm	F mm	G mm	H mm	Y mm	WHEELS	m ³	Tare Kg		€	BRAKING SYSTEM COSTS	EUROPEAN ROAD HOMOLOGATION CERTIFICATE	*
A.F.O. 15 V	2500	2100	3800	1400	1150	1350	850	10/75/15 12 PR	2.2	1230	1700	13.100,00	separately	Load 3.230 Kg. Net 600,00 €	X
A.F.O. 15	3000	2100	4300	1400	1150	1350	850	10/75/15 12 PR	2.8	1380	1700	13.100,00	separately	Load 3.680 Kg. Net 600,00 €	X
A.F.O. 15 S	3500	2100	4800	1400	1150	1350	850	10/75/15 12 PR	3.3	1500	1700	13.350,00	separately	Load 4.200 Kg. Net 600,00 €	X
A.F.O. 15 M	4000	2100	5300	1400	1150	1350	850	11/80/15 18 PR	3.38	1610	1700	13.750,00	separately	Load 4.700 Kg. Net 600,00 €	X
A.F.O. 25 V	2500	2100	3800	1550	1250	1550	850	10/75/15 12 PR	3.22	1380	1900	13.350,00	separately	Load 3.580 Kg. Net 600,00 €	X
A.F.O. 25	3000	2100	4300	1550	1250	1550	850	10/75/15 12 PR	3.0	1250	1900	13.350,00	separately	Load 4.100 Kg. Net 600,00 €	X
A.F.O. 25 S	3500	2100	4800	1550	1250	1550	850	10/75/15 12 PR	3.5	1380	1900	13.500,00	separately	Load 4.650 Kg. Net 600,00 €	X
A.F.O. 25 M	4000	2100	5300	1550	1250	1550	850	11/80/15.3 18 PR	3.9	1780	1900	13.650,00	separately	Load 5.280 Kg. Net 600,00 €	X

MOD.	A mm	C mm	D mm	F mm	G mm	H mm	Y mm	WHEELS	m ³	Tare Kg		€	BRAKING SYSTEM COSTS	EUROPEAN ROAD HOMOLOGATION CERTIFICATE	*
A.F.O. 35 V	2500	2100	2800	1550	1500	1800	850	340/55 16 PR	2.9	1760	2300	13.800,00	separately	Load 4.360 Kg Net 600,00 €	X
A.F.O. 35	3000	2100	4300	1550	1500	1800	850	340/55 16 PR	3.5	1900	2300	13.800,00	separately	Load 5.000 Kg Net 600,00 €	X
A.F.O. 35 S	3500	2100	4800	1600	1500	1800	850	340/55 16 PR	4.4	2050	2300	14.100,00	separately	Load 5.750 Kg Net 600,00 €	X
A.F.O. 35 M	4000	2100	5300	1600	1500	1800	850	11/80 15.3 PR	4.7	2180	2300	14.500,00	separately	Load 6.380 Kg Net 600,00 €	X
A.F.O. 35 X	4500	2100	5800	1600	1500	1800	850	11/80 15.3 PR	5.3	1250	2200	14.500,00	separately	Load 7.000 Kg Net 600,00 €	X

COMPULSORY FOR EUROPEAN ROAD HOMOLOGATION

IMAGE	CODE	DESCRIPTION	PRICE
	SP 001	AXLE WITH MECHANICALE BRAKE	400,00 €


BRAKING SYSTEM COMPULSORY FOR EUROPEAN ROAD HOMOLOGATION


	HYDRAULIC WITH PEDAL	800,00 €
	PNEUMATIC	1.250,00 €

MANURE SPREADER A.F.O. RE




* EUROPEAN ROAD HOMOLOGATION



MOD. 1300	A mm	C mm	D mm	F mm	G mm	H mm	M mm	Y mm	WHEELS	m ³	Tare Kg		€	BRAKING SYSTEM COSTS	CERTIFICATE EUROPEAN ROAD HOMOLOGATION	*
A.F.O. RE 15 V	2500	1850	3800	1800	1150	1800	1800	850	10.075 15.12 PR	2.3	1230	2500	12.800,00	separately	Load 3.230 Kg. Net 600,00 €	X
A.F.O. RE 15	3000	1850	4300	1800	1150	1800	1800	850	10.075 15.12 PR	2.8	1380	2500	13.100,00	separately	Load 3.680 Kg. Net 600,00 €	X
A.F.O. RE 15 S	3500	1850	4800	1800	1150	1800	1800	850	10.075 15.12 PR	3.2	1500	2500	13.100,00	separately	Load 4.200 Kg. Net 600,00 €	X
A.F.O. RE 15 M	4000	1850	5300	1800	1150	1800	1800	850	11/80 15.3 PR	3.7	1610	2500	13.500,00	separately	Load 4.700 Kg. Net 600,00 €	X
A.F.O. RE 25 V	2500	1850	3800	1900	1250	1900	1800	850	10.075 15.12 PR	2.5	1380	2500	13.100,00	separately	Load 3.580 Kg. Net 600,00 €	
A.F.O. RE 25	3000	1850	4300	1900	1250	1900	1800	850	10.075 15.12 PR	3.0	1500	2500	13.100,00	separately	Load 4.100 Kg. Net 600,00 €	X
A.F.O. RE 25 S	3500	1850	4300	1900	1250	1900	1800	850	10.075 15.12 PR	3.5	1650	2500	13.100,00	separately	Load 4.650 Kg. Net 600,00 €	
A.F.O. RE 25 M	4000	1850	5300	1900	1250	1900	1800	850	11/80 15.3 PR	4.0	1780	2500	13.500,00	separately	Load 5.280 Kg. Net 600,00 €	

MOD. 1300	A mm	C mm	D mm	F mm	G mm	H mm	M mm	Y mm	WHEELS	m ³	Tare Kg		€	BRAKING SYSTEM COSTS	CERTIFICATE EUROPEAN ROAD HOMOLOGATION	*
A.F.O. RE 35 V	2500	1850	2800	2100	15000	2100	1800	850	10.075 15.12 PR	2.9	1760	2700	13.500,00	separately	Load 4.360 Kg. Net 600,00 €	X
A.F.O. RE 35	3000	1850	4300	2100	1500	2100	1800	850	10.075 15.12 PR	3.5	1900	2700	13.500,00	separately	Load 5.000 Kg. Net 600,00 €	X
A.F.O. RE 35 S	3500	1850	4800	2100	1500	2100	1800	850	10.075 15.12 PR	4.4	2050	2700	13.900,00	separately	Load 5.750 Kg. Net 600,00 €	X
A.F.O. RE 35 M	4000	1850	5300	2100	1500	2100	1800	850	11/80 15.3 PR	4.7	2180	2700	13.900,00	separately	Load 6.380 Kg. Net 600,00 €	X
A.F.O. RE 35 X	4500	1850	5800	2100	1500	2100	1800	850	11/80 15.3 PR	5.3	2200	2700	14.400,00	separately	Load 7.000 Kg. Net 600,00 €	X

COMPULSORY FOR EUROPEAN ROAD HOMOLOGATION


IMAGE	CODE	DESCRIPTION	PRICE
	SP 001	AXLE WITH MECHANICAL BRAKE	400,00 €


**BRAKING SYSTEM
COMPULSORY FOR EUROPEAN ROAD HOMOLOGATION**

	HYDRAULIC WITH PEDAL	800,00 €
	PNEUMATIC	1.250,00 €



MANURE SPREADER A.F.O. TA

- Rear spreading
- Cut-tube profiles structure with pickled sheet steel
- Deck and sides are made of treated larch planks
- With independent tandem suspension
- N° 2 balanced horizontal rollers for rear spreading
- Hydraulic chain feed
- Guides for chain running
- Removable drawbar
- Axle with mechanical brake
- Cardan shaft
- Road light kit
- Tractor n° 1 pair of hydraulic jacks for chains operation



MOD.	A mm	C mm	D mm	F mm	G mm	H mm	Y mm	TWIN WHEELS	m³	Tare Kg		€	BRAKING SYSTEM COSTS
A.F.O.10 TA	3000	2200	4300	1050	850	1050	850	200/6014.5	2.0	1000	1300	15.000,00	separately
A.F.O. 15 TA	3000	2200	4300	1400	1150	1350	850	200/6014.5	2.8	1160	1700	15.000,00	separately
A.F.O.15 S TA	3500	2200	4800	1400	1150	1350	850	200/6014.5	3.3	1280	1700	15.300,00	separately
A.F.O. 25 TA	3000	2200	4300	1400	1250	1550	850	200/6014.5	3.0	1250	1900	15.300,00	separately
A.F.O. 25 S TA	3500	2300	4800	1550	1250	1550	850	10-075 15.3 12 PR	3.5	1380	1900	15.500,00	separately
A.F.O. 35 TA	3500	2300	4800	1600	1500	1800	850	10.07515.3	4.4	1560	2300	16.100,00	separately
A.F.O. 40 TA	4000	2300	4800	1600	1500	1800	850	10.075 15.3 12 PR	4.8	1650	2300	16.300,00	separately

COSTS OF BRAKING SYSTEM for 6000 Kg

	HYDRAULIC WITH PEDAL	800,00 €
	PNEUMATIC	1.250,00 €